INDEX TO AUTHORS

A

Abbott, Lynn DeForrest, Jr., and Lewis, Howard B. Comparative studies of the metabolism of the amino acids. VIII. Glycine precursors. Availability of N-methylglycine, N,N-dimethylglycine, and betaine for the synthesis of hippuric acid by the rabbit, 479

Alburn, Harvey E., and Myers, Victor C. The creatine, phosphorus, and collagen content of different sections of the dog heart, 713

Amberson, William R. See Oster and Amberson, 19

Anderson, Carl E. See Irvin, Merker, Anderson, and Johnston, 439

Anderson, R. J., and Creighton, M. M. The chemistry of the lipids of tubercle bacilli. LIX. The composition of the polysaccharide of the firmly bound lipids of the leprosy bacillus, 549

—. See Geiger and Anderson, 539

Ansbacher, S., and Fernholz, Erhard. Vitamin K activity in the benzoquinone series, 399

Axelrod, A. E., and Elvehjem, C. A. The determination of coenzyme I in animal tissues, 77

—, **Madden, Robert J., and Elvehjem, C. A.** The effect of a nicotinic acid deficiency upon the coenzyme I content of animal tissues, 85

B

Bachman, Carl. Photometric determination of estrogens. I. A modified Kober reaction for determining the total estrogens in a mixture of estrogenic steroids, 455

—. II. A new color reaction for estriol, 463

Ball, Eric G., and Ramsdell, Pauline A. The catalytic action of milk flavoprotein in the oxidation of reduced diphosphopyridine nucleotide (cozymase), 767

Barkan, Georg, and Walker, Burnham S. The red blood cell as a source of the iron and bilirubin of the blood plasma, 447

Barker, S. B. See Chambers, Chandler, and Barker, 95

Barnes, Richard H., and Wick, Arne N. A method for the determination of blood acetone bodies, 413

Benotti, Norbert. See GINSBURG and BENOTTI, 503

Binkley, S. B. See MACCORQUODALE, CHENEY, BINKLEY, HOLCOMB, MCKEE, THAYER, and DOISY, 357

—. See MCKEE, BINKLEY, THAYER, MACCORQUODALE, and DOISY, 327

Birch, T. W., and **György, Paul.** Physicochemical properties of the factor (vitamin H) curative of egg white injury, 761

Bloch, Konrad, and **Schoenheimer, Rudolf.** Studies in protein metabolism. XI. The metabolic relation of creatine and creatinine studied with isotopic nitrogen, 111

Borsook, Henry, and **Dubnoff, Jacob W.** Methods for the determination of submicro quantities of total nitrogen, ammonia, amino nitrogen, amides, peptides, adenylic acid, and nitrates, 163

Brand, Erwin, and **Kassell, Beatrice.** The photometric determination of tryptophane, tyrosine, diiodotyrosine, and thyroxine, 489

Brown, George Bosworth. See DU VIGNEAUD, COHN, BROWN, IRISH, SCHOENHEIMER, and RITTENBERG, 273

Browne, J. S. L. See KARADY, SELYE, and BROWNE, 717

C

Cahill, William M. See GORDON, CAHILL, and JACKSON, 189

Chambers, William H., Chandler, Joseph P., and **Barker, S. B.** The metabolism of carbohydrate and protein during prolonged fasting, 95

Chandler, Joseph P. See CHAMBERS, CHANDLER, and BARKER, 95

—. See DU VIGNEAUD, CHANDLER, MOYER, and KEPPEL, 57

Chanutin, Alfred, and **Ludewig, Stephan.** The distribution of body water and electrolytes in the intact and partially nephrectomized rat after dehydration and hydration, 519

Chargaff, Erwin, and **Ziff, Morris.** The compounds between phosphatides and basic proteins, 25

—, —, and **Hogg, Bruce M.** The reaction between cephalin and hemoglobins, 35

Cheney, L. C. See MACCORQUODALE, CHENEY, BINKLEY, HOLCOMB, MCKEE, THAYER, and DOISY, 357

Chu, H. I. See DANIELSON, CHU, and HASTINGS, 243

Clarke, Florence, Solkot, Roy, and **Corley, Ralph C.** Metabolism of certain rare sugars, 135

Cohn, Mildred. See DU VIGNEAUD, COHN, BROWN, IRISH, SCHOENHEIMER, and RITTENBERG, 273

Cori, Carl F. See CORI and CORI, 397

Cori, Gerty T., and **Cori, Carl F.** The activating effect of glycogen on the enzymatic syn-

thesis of glycogen from glucose-1-phosphate, 397
Corley, Ralph C. See CLARKE, SOLKOT, and CORLEY, 135
Cox, W. W. See WENDEL, WENDEL, and COX, 177
Creighton, M. M. See ANDERSON and CREIGHTON, 549

D

Danielson, I. S., Chu, H. I., and Hastings, A. Baird. The pK'_1 of carbonic acid in concentrated protein solutions and muscle, 243
Doisy, Edward A. See MACCORQUODALE, CHENEY, BINKLEY, HOLCOMB, MCKEE, THAYER, and DOISY, 357
—. See MCKEE, BINKLEY, THAYER, MACCORQUODALE, and DOISY, 327
Drinker, Nancy, Green, Arda Alden, and Hastings, A. Baird. Equilibria between calcium and purified globulins, 641
Dubnoff, Jacob W. See BORSOOK and DUBNOFF, 163

E

Elvehjem, C. A. See AXELROD and ELVEHJEM, 77
—. See AXELROD, MADDEN, and ELVEHJEM, 85
Emerson, Gladys A. See EMERSON, EMERSON, and EVANS, 409
Emerson, Oliver H., Emerson, Gladys A., and Evans, Herbert M. The vitamin E activity of α-tocoquinone, 409
Eudin, John. See LUCK, EUDIN, and NIMMO, 201
Evans, Herbert M. See EMERSON, EMERSON, and EVANS, 409
—. See LI, SIMPSON, and EVANS, 259
Evenden, James. See CHAMBERS, CHANDLER, and BARKER, 95
Ewing, D. T., Vandenbelt, J. M., and Kamm, Oliver. The ultraviolet absorption of vitamins K_1, K_2, and some related compounds, 345

F

Fernholz, Erhard. See ANSBACHER and FERNHOLZ, 399
Fishman, W. H. Studies on β-glucuronidase. II. Factors controlling the initial velocity of hydrolysis of some conjugated glucuronides, 225
Flexner, Louis B. Biochemical changes associated with onset of secretory activity in the metanephros of the fetal pig. The cytochrome oxidase-cytochrome system and oxidation-reduction potentials, 703

G

Geiger, Walton B., Jr., and Anderson, R. J. The chemistry of the lipids of tubercle bacilli. LVIII. Concerning the firmly bound lipids of the so called leprosy bacillus, 539
Ginsburg, Emanuel, and Benotti, Norbert. The deter-

mination of thiocyanate in serum after the administration of its salts, 503

Gordon, William G., Cahill, William M., and **Jackson, Richard W.** The availability for growth of N-methyltryptophane administered as its acetyl derivative, 189

Gray, E. LeB. Comparison of vitamins A and A_2 by distillation, 317

Grayman, Isabelle, Nelson, Norton, and **Mirsky, I. Arthur.** The utilization of acetone bodies. II. The influence of sex, 121

Green, Arda Alden. See Drinker, Green, and Hastings, 641

Griffith, Wendell H., and **Wade, Nelson J.** Choline metabolism. I. The occurrence and prevention of hemorrhagic degeneration in young rats on a low choline diet, 567

Guest, George Martin. See Rapoport and Guest, 675

Gurin, Samuel, and **Hood, Dorothy B.** The identification and estimation of hexoses in polysaccharides and glycoproteins by the carbazole method, 211

György, Paul. The curative factor (vitamin H) for egg white injury, with particular reference to its presence in different foodstuffs and in yeast, 733

—, **Kuhn, Richard,** and **Lederer, Edgar.** Attempts to isolate the factor (vitamin H) curative of egg white injury, 745

György, Paul. See Birch and György, 761

H

Hansen, P. Arne, and **Nielsen, Verner.** Colorimetric determination of ammonia with thymol-hypobromite reagent, 309

Harrer, Carter J. See Schultze, Harrer, and King, 5

Hastings, A. Baird. See Danielson, Chu, and Hastings, 243

—. See Drinker, Green, and Hastings, 641

—. See Taylor and Hastings, 649

Heard, R. D. H., and **McKay, A. F.** Steroids. II. The isolation of a new androstanol-3(β)-one and of allopregnanol-3(β)-one-20 from the urine of pregnant mares, 371

Heymann, Walter, and **Modic, J. L.** Effect of age and fasting on glycogen content of liver and muscle of rats and puppies, 297

Hodson, A. Z., and **Norris, L. C.** A fluorometric method for determining the riboflavin content of foodstuffs, 621

Hogg, Bruce M. See Chargaff, Ziff, and Hogg, 35

Hogness, T. R. See Junowicz-Kocholaty and Hogness, 187

Holcomb, W. F. See MacCorquodale, Cheney, Binkley, Holcomb, McKee, Thayer, and Doisy, 357

Hood, Dorothy B. See GURIN and HOOD, 211

Hotchkiss, Rollin D. The determination of peptide bonds in crystalline lactoglobulin, 387

I

Irish, Oliver J. See DU VIGNEAUD, COHN, BROWN, IRISH, SCHOENHEIMER, and RITTENBERG, 273

Irvin, J. Logan, Merker, Harvey, Anderson, Carl E., and **Johnston, Charles G.** The comparison of desiccated and normal hog gallbladder bile, 439

—. See JOHNSTON, IRVIN, and WALTON, 425

J

Jackson, Richard W. The excretion of kynurenic acid by members of various families of the order Carnivora, 469

—. See GORDON, CAHILL, and JACKSON, 189

Johnston, Charles G., Irvin, J. Logan, and **Walton, Clarence.** The free choline and phospholipid of hepatic and gallbladder bile, 425

—. See IRVIN, MERKER, ANDERSON, and JOHNSTON, 439

Junowicz-Kocholaty, R., and **Hogness, T. R.** The spectroscopic determination of cytochrome C and its distribution in some mammalian tissues. A correction, 187

K

Kamm, Oliver. See EWING, VANDENBELT, and KAMM, 345

Karady, S., Selye, H., and **Browne, J. S. L.** Changes in the chloride distribution between red blood cells and plasma during the course of the general adaptation syndrome, 717

Kassell, Beatrice. See BRAND and KASSELL, 489

Kemp, Emily J. See OSTER, 13

Keppel, Dorothy M. See DU VIGNEAUD, CHANDLER, MOYER, and KEPPEL, 57

King, C. G. See SCHULTZE, HARRER, and KING, 5

Kingsley, George R. The determination of serum total protein, albumin, and globulin by the biuret reaction, 197

Klein, J. R. Nature of the increase in activity of the *d*-amino acid oxidase of rat liver produced by thyroid feeding, 139

Kolb, Joseph J., and **Toennies, Gerrit.** Methionine studies. IV. A color reaction of methionine, 401

Kuhn, Richard. See GYÖRGY, KUHN, and LEDERER, 745

L

Lavietes, Paul H. See ROSENBAUM and LAVIETES, 663

Lederer, Edgar. See GYÖRGY, KUHN, and LEDERER, 745

Lewis, Howard B. See ABBOTT and LEWIS, 479
Li, Choh Hao, Simpson, Miriam E., and **Evans, Herbert M.** Action of ketene on gonadotropic hormones, 259
Luck, James Murray, Eudin, John, and **Nimmo, Charles C.** Autolytic changes in the protein and amino acid content of liver, 201
Ludewig, Stephan. See CHANUTIN and LUDEWIG, 519

M

MacCorquodale, D. W., Cheney, L. C., Binkley, S. B., Holcomb, W. F., McKee, R. W., Thayer, Sidney A., and **Doisy, Edward A.** The constitution and synthesis of vitamin K_1, 357
—. See MCKEE, BINKLEY, THAYER, MACCORQUODALE, and DOISY, 327
Madden, Robert J. See AXELROD, MADDEN, and ELVEHJEM, 85
Maver, Mary E. The separation of cathepsin from malignant and normal rat tissue, 127
McDaniel, L. E. See WOOLLEY, MCDANIEL, and PETERSON, 381
McKay, A. F. See HEARD and MCKAY, 371
McKee, R. W., Binkley, S. B., Thayer, Sidney A., MacCorquodale, D. W., and **Doisy, Edward A.** The isolation of vitamin K_2, 327
—. See MACCORQUODALE, CHENEY, BINKLEY, HOLCOMB, MCKEE, THAYER, and DOISY, 357
Melnick, Joseph L. Ultraviolet absorption spectra of cocarboxylase, thiamine, and their reduction products, 615
—. See STERN and MELNICK, 597
Merker, Harvey. See IRVIN, MERKER, ANDERSON, and JOHNSTON, 439
Meyer, Curtis E. See SMITH and MEYER, 45
Miller, Gail Lorenz. See DU VIGNEAUD, MILLER, and RODDEN, 631
Minor, George R. See CHANUTIN and LUDEWIG, 519
Mirsky, I. Arthur. See GRAYMAN, NELSON, and MIRSKY, 121
Modic, J. L. See HEYMANN and MODIC, 297
Moyer, A. W. See DU VIGNEAUD, CHANDLER, MOYER, and KEPPEL, 57
Myers, Victor C. See ALBURN and MYERS, 713

N

Nelson, Norton. See GRAYMAN, NELSON, and MIRSKY, 121
Nielsen, Verner. See HANSEN and NIELSEN, 309
Nimmo, Charles C. See LUCK, EUDIN, and NIMMO, 201
Norris, L. C. See HODSON and NORRIS, 621

O

Oster, Robert H. Electrodialysis of tissue chloride. I. The method and controls, 13

Oster, Robert H., and Amberson, William R. Electrodialysis of tissue chloride. II. Kinetics of removal of chloride from tissues of the dog, 19

P

Peterson, W. H. See WOOLLEY, MCDANIEL, and PETERSON, 381

R

Ramsdell, Pauline A. See BALL and RAMSDELL, 767

Rapoport, S., and Guest, George Martin. The rôle of diphosphoglyceric acid in the electrolyte equilibrium of blood cells: studies of pyloric obstruction in dogs, 675

Rice, Eldon E. A simplified procedure for the isolation of lysine from protein hydrolysates, 1

Rittenberg, D. See DU VIGNEAUD, COHN, BROWN, IRISH, SCHOENHEIMER, and RITTENBERG, 273

Rodden, Clement J. See DU VIGNEAUD, MILLER, and RODDEN, 631

Rosenbaum, Jack D., and Lavietes, Paul H. Lipoid-thiocyanate in serum, 663

Rubin, S. H. The plasma and red blood cell lipids in persistent (diabetic) lipemia and in transient (alimentary) lipemia, 691

S

Schoenheimer, Rudolf. See BLOCH and SCHOENHEIMER, 111

Schoenheimer, Rudolf. See DU VIGNEAUD, COHN, BROWN, IRISH, SCHOENHEIMER, and RITTENBERG, 273

Schultze, M. O., Harrer, Carter J., and King, C. G. Studies on the possible carrier rôle of ascorbic acid in animal tissues, 5

Selye, H. See KARADY, SELYE, and BROWNE, 717

Simpson, Miriam E. See LI, SIMPSON, and EVANS, 259

Smith, Arthur H., and Meyer, Curtis E. The influence of diet on the endogenous production of citric acid, 45

Solkot, Roy. See CLARKE, SOLKOT, and CORLEY, 135

Stern, Kurt G., and Melnick, Joseph L. On the mechanism of cocarboxylase action, 597

Stotz, Elmer. The estimation and distribution of cytochrome oxidase and cytochrome C in rat tissues, 555

Summerson, William H. A combination simple manometer and constant volume differential manometer for studies in metabolism, 579

Svirbely, Joseph L. Vitamin C studies in the rat. The effect of copper and various organic substances, 233

T

Taylor, John Fuller, and Hastings, A. Baird. Oxidation-reduction potentials of the methemoglobin-hemoglobin system, 649

Thayer, Sidney A. See MacCorquodale, Cheney, Binkley, Holcomb, McKee, Thayer, and Doisy, 357
—. See McKee, Binkley, Thayer, MacCorquodale, and Doisy, 327
Toennies, Gerrit. See Kolb and Toennies, 401

V

Vandenbelt, J. M. See Ewing, Vandenbelt, and Kamm, 345
du Vigneaud, Vincent, Chandler, Joseph P., Moyer, A. W., and **Keppel, Dorothy M.** The effect of choline on the ability of homocystine to replace methionine in the diet, 57
—, **Cohn, Mildred, Brown, George Bosworth, Irish, Oliver J., Schoenheimer, Rudolf,** and **Rittenberg, D.** A study of the inversion of *d*-phenylaminobutyric acid and the acetylation of *l*-phenylaminobutyric acid by means of the isotopes of nitrogen and hydrogen, 273
—, **Miller, Gail Lorenz,** and **Rodden, Clement J.** On the question of the presence of methionine in insulin, 631
—. See Wood and du Vigneaud, 267

W

Wade, Nelson J. See Griffith and Wade, 567
Walker, Burnham S. See Barkan and Walker, 447
Walton, Clarence. See Johnston, Irvin, and Walton, 425
Wendel, Nannette M. See Wendel, Wendel, and Cox, 177
Wendel, William B., Wendel, Nannette M., and **Cox, W. W.** Methemoglobin as the principal abnormal pigment in the blood of humans showing cyanosis from sulfanilamide, 177
White, Abraham. See White and White, 149
White, Julius, and **White, Abraham.** Inhibition of growth of the rat by oral administration of methylcholanthrene, benzpyrene, or pyrene, and the effects of various dietary supplements, 149
Wick, Arne N. See Barnes and Wick, 413
Wood, John L., and **du Vigneaud, Vincent.** A new synthesis of cystine, 267
Woolley, D. W., McDaniel, L. E., and **Peterson, W. H.** Growth factors for bacteria. IX. Studies of a growth factor for *Clostridia*, 381

Z

Ziff, Morris. See Chargaff and Ziff, 25
—. See Chargaff, Ziff, and Hogg, 35

INDEX TO SUBJECTS

A

Acetone bodies: Blood, determination (BARNES and WICK) 413
Utilization (GRAYMAN, NELSON, and MIRSKY) 121
—, sex influence (GRAYMAN, NELSON, and MIRSKY) 121
Adaptation syndrome: Blood plasma and cell, red, chlorides, effect (KARADY, SELYE, and BROWNE) 717
Adenylic acid: Determination, micro- (BORSOOK and DUBNOFF) 163
Age: Liver glycogen effect (HEYMANN and MODIC) 297
Muscle glycogen effect (HEYMANN and MODIC) 297
Albumin: Blood serum, determination, biuret reaction (KINGSLEY) 197
Allopregnanol-3(β)-one-20: Urine, pregnancy, isolation (HEARD and MCKAY) 371
Amide(s): Determination, micro- (BORSOOK and DUBNOFF) 163
Amino acid(s): *d*-, oxidase, liver, thyroid feeding effect (KLEIN) 139
Liver, autolysis (LUCK, EUDIN, and NIMMO) 201
Metabolism (ABBOTT and LEWIS) 479
Amino nitrogen: Determination, micro- (BORSOOK and DUBNOFF) 163
Ammonia: Determination, colorimetric, thymol-hypobromite reagent (HANSEN and NIELSEN) 309
—, micro- (BORSOOK and DUBNOFF) 163
Androstanol-3(β)-one: Urine, pregnancy, isolation (HEARD and MCKAY) 371
Apparatus: Metabolism, manometer (SUMMERSON) 579
Ascorbic acid: Tissue, animal, carrier rôle (SCHULTZE, HARER, and KING) 5

B

Bacillus: *See also* Leprosy bacillus, Tubercle bacillus
Bacteria: Growth factors (WOOLLEY, MCDANIEL, and PETERSON) 381
Benzoquinone: Series, vitamin K activity (ANSBACHER and FERNHOLZ) 399
Benzpyrene: Growth effect (WHITE and WHITE) 149
Betaine: Hippuric acid synthesis, availability (ABBOTT and LEWIS) 479
Bile: Gallbladder, choline, free (JOHNSTON, IRVIN, and WALTON) 425

Bile—*continued:*
Gallbladder, desiccated and normal, comparison (IRVIN, MERKER, ANDERSON, and JOHNSTON) 439
—, phospholipid (JOHNSTON, IRVIN, and WALTON) 425
Hepatic, choline, free (JOHNSTON, IRVIN, and WALTON) 425
—, phospholipid (JOHNSTON, IRVIN, and WALTON) 425
Bilirubin: Blood plasma, blood cell, red, as source (BARKAN and WALKER) 447
Biuret reaction: Blood serum protein, albumin, and globulin determination, use (KINGSLEY) 197
Blood: Acetone bodies, determination (BARNES and WICK) 413
Sulfanilamide administration effect (WENDEL, WENDEL, and COX) 177
Blood cell(s): Electrolyte equilibrium, diphosphoglyceric acid rôle, pyloric obstruction effect (RAPOPORT and GUEST) 675
Red, blood plasma and, chlorides, adaptation syndrome effect (KARADY, SELYE, and BROWNE) 717
—, — — iron and bilirubin, source (BARKAN and WALKER) 447
—, lipids, lipemia, diabetic and alimentary (RUBIN) 691
Blood plasma: Bilirubin, blood cell, red, as source (BARKAN and WALKER) 447
Blood cell, red, and, chlorides, adaptation syndrome effect (KARADY, SELYE, and BROWNE) 717
Iron, blood cell, red, as source (BARKAN and WALKER) 447
Lipids, lipemia, diabetic and alimentary (RUBIN) 691
Blood serum: Albumin, determination, biuret reaction (KINGSLEY) 197
Globulin, determination, biuret reaction (KINGSLEY) 197
Lipoid-thiocyanate (ROSENBAUM and LAVIETES) 663
Protein, total, determination, biuret reaction (KINGSLEY) 197
Thiocyanate determination, thiocyanate salts, administration effect (GINSBURG and BENOTTI) 503
Butyric acid: *d*-Phenylamino-, inversion, hydrogen isotope use in study (DU VIGNEAUD, COHN, BROWN, IRISH, SCHOENHEIMER, and RITTENBERG) 273
—, —, nitrogen isotope use in study (DU VIGNEAUD, COHN, BROWN, IRISH, SCHOENHEIMER, and RITTENBERG) 273
l-Phenylamino-, acetylation, hydrogen isotope use in study (DU VIGNEAUD, COHN, BROWN, IRISH, SCHOENHEIMER, and RITTENBERG) 273
—, —, nitrogen isotope use in study (DU VIGNEAUD, COHN, BROWN, IRISH, SCHOENHEIMER, and RITTENBERG) 273

C

Calcium: Globulins and, equilibria (Drinker, Green, and Hastings) 641

Carbazole: Hexoses, identification and determination, polysaccharides and glycoproteins, use (Gurin and Hood) 211

Carbohydrate: Metabolism, fasting effect (Chambers, Chandler, and Barker) 95

Carbonic acid: Dissociation constant, first, muscle (Danielson, Chu, and Hastings) 243

— —, —, protein solutions (Danielson, Chu, and Hastings) 243

Carboxylase: Co-, absorption spectra (Melnick) 615

—, action, mechanism (Stern and Melnick) 597

—, reduction products, absorption spectra (Melnick) 615

Carnivora: Kynurenic acid excretion (Jackson) 469

Cathepsin: Tissue, normal and malignant, separation (Maver) 127

Cephalin: Hemoglobins and, reaction (Chargaff, Ziff, and Hogg) 35

Chloride(s): Blood cell, red, and blood plasma, adaptation syndrome effect (Karady, Selye, and Browne) 717

Chloride(s)—*continued:*

Tissue, electrodialysis (Oster) 13

(Oster and Amberson) 19

—, —, method (Oster) 13

—, removal, kinetics (Oster and Amberson) 19

Cholanthrene: Methyl-, growth effect (White and White) 149

Choline: Free, bile, gallbladder (Johnston, Irvin, and Walton) 425

—, —, hepatic (Johnston, Irvin, and Walton) 425

Homocystine replacement of methionine, effect (du Vigneaud, Chandler, Moyer, and Keppel) 57

-Low diet, hemorrhagic degeneration, effect (Griffith and Wade) 567

Metabolism (Griffith and Wade) 567

Citric acid: Endogenous, diet influence (Smith and Meyer) 45

Clostridia: Growth factor (Woolley, McDaniel, and Peterson) 381

Cocarboxylase: Absorption spectra (Melnick) 615

Action, mechanism (Stern and Melnick) 597

Reduction products, absorption spectra (Melnick) 615

Coenzyme: I, tissue, animal, determination (Axelrod and Elvehjem) 77

—, —, —, nicotinic acid effect (Axelrod, Madden, and Elvehjem) 85

Collagen: Heart (ALBURN and MYERS) 713
Copper: Vitamin C, rat, effect (SVIRBELY) 233
Cozymase: Oxidation, milk flavoprotein action (BALL and RAMSDELL) 767
Creatine: Creatinine and, metabolism relation, isotopic nitrogen in study (BLOCH and SCHOENHEIMER) 111
Heart (ALBURN and MYERS) 713
Creatinine: Creatine and, metabolism relation, isotopic nitrogen in study (BLOCH and SCHOENHEIMER) 111
Cystine: Homo-, methionine replacement by, choline effect (DU VIGNEAUD, CHANDLER, MOYER, and KEPPEL) 57
Synthesis (WOOD and DU VIGNEAUD) 267
Cytochrome: C, determination, spectroscopic (JUNOWICZ-KOCHOLATY and HOGNESS) 187
—, tissue, animal, determination and distribution (STOTZ) 555
—, — distribution (JUNOWICZ-KOCHOLATY and HOGNESS) 187
Oxidase-cytochrome system, oxidation-reduction potentials, fetus metanephros (FLEXNER) 703
Oxidase, tissue, animal, determination and distribution (STOTZ) 555

D

Dehydration: Body electrolytes, distribution, nephrectomy effect (CHANUTIN and LUDEWIG) 519
— water distribution, nephrectomy effect (CHANUTIN and LUDEWIG) 519
Diabetes: Lipemia, blood cell, red, lipids (RUBIN) 691
—, — plasma lipids (RUBIN) 691
Diet: Citric acid, endogenous, influence (SMITH and MEYER) 45
Diiodotyrosine: Determination, photometric (BRAND and KASSELL) 489
Dimethylglycine: N,N-, hippuric acid synthesis, availability (ABBOTT and LEWIS) 479
Diphosphoglyceric acid: Blood cell electrolyte equilibrium, pyloric obstruction effect (RAPOPORT and GUEST) 675
Diphosphopyridine: Nucleotide, reduced, oxidation, milk flavoprotein action (BALL and RAMSDELL) 767

E

Egg: White injury, curative factor, foodstuffs and yeast (GYÖRGY) 733
— —, — —, isolation (GYÖRGY, KUHN, and LEDERER) 745
— —, — —, physicochemical properties (BIRCH and GYÖRGY) 761

Electrolyte(s): Blood cells, equilibrium, diphosphoglyceric acid rôle, pyloric obstruction effect (RAPOPORT and GUEST) 675
Body, distribution, dehydration and hydration, nephrectomy effect (CHANUTIN and LUDEWIG) 519
Enzyme(s): Glucose-1-phosphate synthesis, glycogen effect (CORI and CORI) 397
See also Cathepsin, Cocarboxylase, Coenzyme, Cozymase, β-Glucuronidase, Oxidase
Erythrocyte: *See* Blood cell, red
Estriol: Color reaction (BACHMAN) 463
Determination, colorimetric (BACHMAN) 463
Estrogenic steroid(s): Estrogenic substances, determination, Kober reaction use (BACHMAN) 455
Estrogenic substance(s): Determination, photometric (BACHMAN) 455, 463
Total, determination, estrogenic steroids, Kober reaction use (BACHMAN) 455

F

Fasting: Carbohydrate metabolism, effect (CHAMBERS, CHANDLER, and BARKER) 95
Liver glycogen effect (HEYMANN and MODIC) 297
Muscle glycogen effect (HEYMANN and MODIC) 297
Protein metabolism, effect (CHAMBERS, CHANDLER, and BARKER) 95
Fetus: Metanephros, cytochrome oxidase-cytochrome system, oxidation-reduction potentials (FLEXNER) 703
Flavin: Ribo-, foodstuffs, determination, fluorometric (HODSON and NORRIS) 621
Flavoprotein: Milk, diphosphopyridine nucleotide, reduced, oxidation, effect (BALL and RAMSDELL) 767
Foodstuff(s): Egg white injury curative factor (GYÖRGY) 733
Riboflavin determination, fluorometric (HODSON and NORRIS) 621
Vitamin H (GYÖRGY) 733

G

Gallbladder: Bile, choline, free (JOHNSTON, IRVIN, and WALTON) 425
—, desiccated and normal, comparison (IRVIN, MERKER, ANDERSON, and JOHNSTON) 439
—, phospholipid (JOHNSTON, IRVIN, and WALTON) 425
Globulin(s): Blood serum, determination, biuret reaction (KINGSLEY) 197
Calcium and, equilibria (DRINKER, GREEN, and HASTINGS) 641
Glucose-1-phosphate: Synthesis, enzymatic, glycogen effect (CORI and CORI) 397
Glucuronidase: β- (FISHMAN) 225
Glucuronide(s): Conjugated, hydrolysis, factors controlling (FISHMAN) 225

Glyceric acid: Diphospho-, blood cell electrolyte equilibrium, pyloric obstruction effect (RAPOPORT and GUEST) 675
Glycine: N, N-Dimethyl-, hippuric acid synthesis, availability (ABBOTT and LEWIS) 479
N-Methyl-, hippuric acid synthesis, availability (ABBOTT and LEWIS) 479
Precursors (ABBOTT and LEWIS) 479
Glycogen: Glucose-1-phosphate synthesis, enzymatic, effect (CORI and CORI) 397
Liver, age effect (HEYMANN and MODIC) 297
—, fasting effect (HEYMANN and MODIC) 297
Muscle, age effect (HEYMANN and MODIC) 297
—, fasting effect (HEYMANN and MODIC) 297
Gonadotropic hormone(s): Ketene action (LI, SIMPSON, and EVANS) 259
Growth: Benzpyrene effect (WHITE and WHITE) 149
Factor, *Clostridia* (WOOLLEY, MCDANIEL, and PETERSON) 381
Factors, bacteria (WOOLLEY, MCDANIEL, and PETERSON) 381
Methylcholanthrene effect (WHITE and WHITE) 149
N-Methyltryptophane, acetyl, effect (GORDON, CAHILL, and JACKSON) 189
Pyrene effect (WHITE and WHITE) 149

H

Heart: Collagen (ALBURN and MYERS) 713
Creatine (ALBURN and MYERS) 713
Phosphorus (ALBURN and MYERS) 713
Hemoglobin(s): Cephalin and, reaction (CHARGAFF, ZIFF, and HOGG) 35
Methemoglobin-, system, oxidation-reduction potentials (TAYLOR and HASTINGS) 649
Hemorrhage: Choline-low diet effect (GRIFFITH and WADE) 567
Hexose(s): Glycoproteins, identification and determination, carbazole method (GURIN and HOOD) 211
Polysaccharides, identification and determination, carbazole method (GURIN and HOOD) 211
Hippuric acid: Synthesis, betaine availability (ABBOTT and LEWIS) 479
—, N, N-dimethylglycine availability (ABBOTT and LEWIS) 479
—, N-methylglycine availability (ABBOTT and LEWIS) 479
Homocystine: Methionine replacement by, choline effect (DU VIGNEAUD, CHANDLER, MOYER, and KEPPEL) 57
Hydration: Body electrolytes, distribution, nephrectomy effect (CHANUTIN and LUDEWIG) 519

Hydration—*continued:*
Body water distribution, nephrectomy effect (CHANUTIN and LUDEWIG) 519
Hydrogen: Isotope, *d*-phenylaminobutyric acid inversion, use in study (DU VIGNEAUD, COHN, BROWN, IRISH, SCHOENHEIMER, and RITTENBERG) 273
—, *l*-phenylaminobutyric acid acetylation, use in study (DU VIGNEAUD, COHN, BROWN, IRISH, SCHOENHEIMER, and RITTENBERG) 273

I

Insulin: Methionine presence (DU VIGNEAUD, MILLER, and RODDEN) 631
Iron: Blood plasma, blood cell, red, as source (BARKAN and WALKER) 447

K

Ketene: Gonadotropic hormones, action (LI, SIMPSON, and EVANS) 259
Kynurenic acid: Excretion, Carnivora (JACKSON) 469

L

Lactoglobulin: Crystalline, peptide bonds, determination (HOTCHKISS) 387
Leprosy bacillus: Lipids (GEIGER and ANDERSON) 539
—, polysaccharide (ANDERSON and CREIGHTON) 549
Lipemia: Alimentary, blood cell, red, lipids (RUBIN) 691
—, — plasma lipids (RUBIN) 691
Lipemia—*continued:*
Diabetic, blood cell, red, lipids (RUBIN) 691
—, — plasma lipids (RUBIN) 691
Lipid(s): Blood cell, red, lipemia, diabetic and alimentary (RUBIN) 691
— plasma, lipemia, diabetic and alimentary (RUBIN) 691
Leprosy bacillus (GEIGER and ANDERSON) 539
— —, polysaccharide (ANDERSON and CREIGHTON) 549
Tubercle bacillus, chemistry (GEIGER and ANDERSON) 539
(ANDERSON and CREIGHTON) 549
Lipoid: -Thiocyanate, blood serum (ROSENBAUM and LAVIETES) 663
Liver: Amino acid autolysis (LUCK, EUDIN, and NIMMO) 201
d-Amino acid oxidase, thyroid feeding effect (KLEIN) 139
Bile, choline, free (JOHNSTON, IRVIN, and WALTON) 425
—, phospholipid (JOHNSTON, IRVIN, and WALTON) 425
Glycogen, age effect (HEYMANN and MODIC) 297
—, fasting effect (HEYMANN and MODIC) 297
Protein autolysis (LUCK, EUDIN, and NIMMO) 201
Lysine: Protein hydrolysates, isolation (RICE) 1

M

Manometer: Metabolism study (Summerson) 579

Metabolism: Apparatus, manometer (Summerson) 579

Metanephros: Fetus, cytochrome oxidase-cytochrome system, oxidation-reduction potentials (Flexner) 703

Methemoglobin: Blood, sulfanilamide administration effect (Wendel, Wendel, and Cox) 177

-Hemoglobin system, oxidation-reduction potentials (Taylor and Hastings) 649

Methionine: (Kolb and Toennies) 401

Color reaction (Kolb and Toennies) 401

Homocystine replacement of, choline effect (du Vigneaud, Chandler, Moyer, and Keppel) 57

Insulin, presence (du Vigneaud, Miller, and Rodden) 631

Methylcholanthrene: Growth effect (White and White) 149

Methylglycine: N-, hippuric acid synthesis, availability (Abbott and Lewis) 479

Methyltryptophane: N-, acetyl, growth effect (Gordon, Cahill, and Jackson) 189

Milk: Flavoprotein, diphosphopyridine nucleotide, reduced, oxidation, effect (Ball and Ramsdell) 767

Muscle: Carbonic acid dissociation constant, first (Danielson, Chu, and Hastings) 243

Glycogen, age effect (Heymann and Modic) 297

—, fasting effect (Heymann and Modic) 297

See also Heart

N

Nephrectomy: Body electrolyte distribution, dehydration and hydration, effect (Chanutin and Ludewig) 519

— water distribution, dehydration and hydration, effect (Chanutin and Ludewig) 519

Nicotinic acid: Coenzyme I, tissue, animal, effect (Axelrod, Madden, and Elvehjem) 85

Nitrate(s): Determination, micro- (Borsook and Dubnoff) 163

Nitrogen: Amino. *See* Amino nitrogen

Isotope, creatine-creatinine metabolism, study with (Bloch and Schoenheimer) 111

—, *d*-phenylaminobutyric acid inversion, use in study (du Vigneaud, Cohn, Brown, Irish, Schoenheimer, and Rittenberg) 273

—, *l*-phenylaminobutyric acid acetylation, use in study (du Vigneaud, Cohn, Brown, Irish, Schoenheimer, and Rittenberg) 273

Nitrogen—*continued:*
Total, determination, micro- (BORSOOK and DUBNOFF) 163
Nucleotide: Diphosphopyridine, reduced, oxidation, milk flavoprotein action (BALL and RAMSDELL) 767

O

Oxidase: *d*-Amino acid, liver, thyroid feeding effect (KLEIN) 139
Cytochrome-, cytochrome, system, oxidation-reduction potentials, fetus metanephros (FLEXNER) 703
Cytochrome, tissue, animal, determination and distribution (STOTZ) 555

P

Peptide(s): Bonds, lactoglobulin, crystalline, determination (HOTCHKISS) 387
Determination, micro- (BORSOOK and DUBNOFF) 163
Phenylaminobutyric acid: *d*-, inversion, hydrogen isotope use in study (DU VIGNEAUD, COHN, BROWN, IRISH, SCHOENHEIMER, and RITTENBERG) 273
—, —, nitrogen isotope use in study (DU VIGNEAUD, COHN, BROWN, IRISH, SCHOENHEIMER, and RITTENBERG) 273
l-, acetylation, hydrogen isotope use in study (DU VIGNEAUD, COHN, BROWN, IRISH, SCHOENHEIMER, and RITTENBERG) 273
Phenylaminobutyric acid—*continued:*
l-, acetylation, nitrogen isotope use in study (DU VIGNEAUD, COHN, BROWN, IRISH, SCHOENHEIMER, and RITTENBERG) 273
Phosphatide(s): Proteins, basic, compounds between (CHARGAFF and ZIFF) 25
Phospholipid(s): Bile, gallbladder (JOHNSTON, IRVIN, and WALTON) 425
—, hepatic (JOHNSTON, IRVIN, and WALTON) 425
Phosphorus: Heart (ALBURN and MYERS) 713
Polysaccharide(s): Hexoses, identification and determination, carbazole method (GURIN and HOOD) 211
Leprosy bacillus, lipids (ANDERSON and CREIGHTON) 549
Pregnancy: Urine allopregnanol-3(β)-one-20, isolation (HEARD and MCKAY) 371
—, androstanol-3(β)-one, isolation (HEARD and MCKAY) 371
Protein(s): Basic, phosphatides, compounds between (CHARGAFF and ZIFF) 25
Flavo-, milk, diphosphopyridine nucleotide, reduced, oxidation, effect (BALL and RAMSDELL) 767
Hydrolysates, lysine isolation (RICE) 1
Liver, autolysis (LUCK, EUDIN, and NIMMO) 201
Metabolism (BLOCH and SCHOENHEIMER) 111

Protein(s)—*continued:*
Metabolism, fasting effect (CHAMBERS, CHANDLER, and BARKER) 95
Solutions, carbonic acid dissociation constant, first (DANIELSON, CHU, and HASTINGS) 243
Total, blood serum, determination, biuret reaction (KINGSLEY) 197
Pyloric obstruction: Blood cell electrolyte equilibrium, diphosphoglyceric acid rôle (RAPOPORT and GUEST) 675
Pyrene: Growth effect (WHITE and WHITE) 149
Pyridine: Diphospho-, nucleotide, reduced, oxidation, milk flavoprotein action (BALL and RAMSDELL) 767

Q

Quinone: Benzo-, series, vitamin K activity (ANSBACHER and FERNHOLZ) 399
α-Toco-, vitamin E, relation (EMERSON, EMERSON, and EVANS) 409

R

Riboflavin: Foodstuffs, determination, fluorometric (HODSON and NORRIS) 621
See also Vitamin B_2

S

Sex: Acetone body utilization, influence (GRAYMAN, NELSON, and MIRSKY) 121
Steroid(s): (HEARD and MCKAY) 371
Steroid(s)—*continued:*
Estrogenic, estrogenic substances, determination, Kober reaction use (BACHMAN) 455
Sugar(s): Metabolism (CLARKE, SOLKOT, and CORLEY) 135
Sulfanilamide: Blood effect (WENDEL, WENDEL, and COX) 177

T

Thiamine: Absorption spectra (MELNICK) 615
Reduction products, absorption spectra (MELNICK) 615
Thiocyanate: Blood serum, determination, thiocyanate salts, administration effect (GINSBURG and BENOTTI) 503
Lipoid-, blood serum (ROSENBAUM and LAVIETES) 663
Thiocyanate salt(s): Blood serum thiocyanate determination, administration effect (GINSBURG and BENOTTI) 503
Thyroid: Liver *d*-amino acid oxidase, feeding effect (KLEIN) 139
Thyroxine: Determination, photometric (BRAND and KASSELL) 489
Tocoquinone: α-, vitamin E, relation (EMERSON, EMERSON, and EVANS) 409
Tryptophane: Determination, photometric (BRAND and KASSELL) 489
N-Methyl-, acetyl, growth effect (GORDON, CAHILL, and JACKSON) 189

Tubercle bacillus: Lipids, chemistry (GEIGER and ANDERSON) 539
(ANDERSON and CREIGHTON) 549
Tyrosine: Determination, photometric (BRAND and KASSELL) 489
Diiodo-, determination, photometric (BRAND and KASSELL) 489

U

Urine: Pregnancy, allopregnanol-3(β)-one-20 isolation (HEARD and MCKAY) 371
—, androstanol-3(β)-one isolation (HEARD and MCKAY) 371

V

Vitamin(s): A and A_2, structures, comparison (GRAY) 317
B_2. *See also* Riboflavin
C, rat, copper and organic substances, effect (SVIRBELY) 233
—. *See also* Ascorbic acid
E, α-tocoquinone, relation (EMERSON, EMERSON, and EVANS) 409
H, foodstuffs (GYÖRGY) 733
—, isolation (GYÖRGY, KUHN, and LEDERER) 745
—, physicochemical properties (BIRCH and GYÖRGY) 761
—, yeast (GYÖRGY) 733
K activity, benzoquinone series (ANSBACHER and FERNHOLZ) 399
Vitamin(s)—*continued:*
K_1, absorption spectra (EWING, VANDENBELT, and KAMM) 345
—, constitution (MACCORQUODALE, CHENEY, BINKLEY, HOLCOMB, MCKEE, THAYER, and DOISY) 357
K_1-related compounds, absorption spectra (EWING, VANDENBELT, and KAMM) 345
K_1, synthesis (MACCORQUODALE, CHENEY, BINKLEY, HOLCOMB, MCKEE, THAYER, and DOISY) 357
K_2, absorption spectra (EWING, VANDENBELT, and KAMM) 345
—, isolation (MCKEE, BINKLEY, THAYER, MACCORQUODALE, and DOISY) 327
K_2-related compounds, absorption spectra (EWING, VANDENBELT, and KAMM) 345

W

Water: Body, distribution, dehydration and hydration, nephrectomy effect (CHANUTIN and LUDEWIG) 519

Y

Yeast: Egg white injury curative factor (GYÖRGY) 733
Vitamin H (GYÖRGY) 733